The Final Version of COPD-ES Questionnaire and Related Reliability and Validity Testing

Importance	Coefficient	I-CVI	S-CVI/	CVR	кмо	Bartlett's	Cronbach's
Scorings	of Variation		Ave		Value	Sphericity	Alpha
						test	Coefficient
4.73	0.14	1.00	1.00	1.0	0.552	103.597	0.660
5.00	0	1.00	1.00				
5.00	0	1.00	1.00				
5.00	0	1.00	1.00				
5.00	0	1.00	1.00				
5.00	0	1.00	1.00				
5.00	0	1.00	1.00				
5.00	0	1.00	1.00				
5.00	0	1.00	1.00				
4.82	0.13	1.00	1.00				
	4.73 5.00 5.00 5.00 5.00 5.00 5.00	Scorings of Variation 4.73 0.14 5.00 0 5.00 0 5.00 0 5.00 0 5.00 0 5.00 0 5.00 0 5.00 0 5.00 0	Scorings of Variation 4.73 0.14 1.00 5.00 0 1.00 5.00 0 1.00 5.00 0 1.00 5.00 0 1.00 5.00 0 1.00 5.00 0 1.00 5.00 0 1.00 5.00 0 1.00	Scorings of Variation Ave 4.73 0.14 1.00 1.00 5.00 0 1.00 1.00 5.00 0 1.00 1.00 5.00 0 1.00 1.00 5.00 0 1.00 1.00 5.00 0 1.00 1.00 5.00 0 1.00 1.00 5.00 0 1.00 1.00 5.00 0 1.00 1.00 5.00 0 1.00 1.00	Scorings of Variation Ave 4.73 0.14 1.00 1.00 1.0 5.00 0 1.00 1.00 1.00 5.00 0 1.00 1.00 1.00 5.00 0 1.00 1.00 1.00 5.00 0 1.00 1.00 1.00 5.00 0 1.00 1.00 1.00 5.00 0 1.00 1.00 1.00 5.00 0 1.00 1.00 1.00	Scorings of Variation Ave Value 4.73 0.14 1.00 1.00 1.0 0.552 5.00 0 1.00	Scorings of Variation Ave Value test Sphericity test 4.73 0.14 1.00 1.00 1.0 0.552 103.597 5.00 0 1.00 <td< td=""></td<>